# Liquid Dirt Remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 30-10-2018 Revision date: 6-1-2023 Supersedes version of: 10-11-2022 Version: 2.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Trade name : Liquid Dirt Remover
UFI : 7470-K0QH-P00Y-K5PA
Product code : PK.10.17
Type of product : Detergent
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use,Professional use,Consumer use
Use of the substance/mixture : Cleaner
Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V.
Dollegoorweg, 15
NL– 7602 EC Almelo
Netherlands
T 0031 (0)546 81 81 65
vib@kroon-oil.nl

### 1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---|---|---|---|---|
| Ireland | National Poisons Information Centre<br>Beaumont Hospital | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566 (Healthcare professionals-24/7)<br>+353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Cardiff Centre)<br>University Hospital Llandough | Penlan Road<br>CF64 2XX Cardiff | 0344 892 0111 | Only for healthcare professionals |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

| | |
|---|---|
| Skin corrosion/irritation, Category 2 | H315 |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336 |
| Aspiration hazard, Category 1 | H304 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |

Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Contains : Kerosine (petroleum), hydrodesulfurized

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H336 - May cause drowsiness or dizziness.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P301+P310+P331 - IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | |
|---|---|
| 2-butoxyethanol (111-76-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---|---|
| Kerosine (petroleum), hydrodesulfurized | CAS-No.: 64742-81-0<br>EC-No.: 265-184-9<br>EC Index-No.: 649-423-00-8<br>REACH-no: 01-2119462828-25 | ≥ 50 | Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |
| 2-butoxyethanol<br>substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 111-76-2<br>EC-No.: 203-905-0<br>EC Index-No.: 603-014-00-0<br>REACH-no: 01-2119475108-36 | 1 – 5 | Acute Tox. 3 (Inhalation), H331<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after skin contact : Irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.
Hazardous decomposition products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Storage temperature : < 40 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Liquid Dirt Remover | |
|---|---|
| **EU - Indicative Occupational Exposure Limit (IOEL)** | |
| Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended | 5 mg/m³ - ACGIH TLV (inhalable fraction). |

| 2-butoxyethanol (111-76-2) | |
|---|---|
| **EU - Indicative Occupational Exposure Limit (IOEL)** | |
| Local name | 2-Butoxyethanol |
| IOEL TWA | 98 mg/m³ |
| IOEL STEL | 246 mg/m³ |
| IOEL STEL [ppm] | 50 ppm |
| Remark | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| **United Kingdom - Occupational Exposure Limits** | |
| Local name | 2-Butoxyethanol |
| WEL TWA (OEL TWA) [1] | 123 mg/m³ |
| WEL TWA (OEL TWA) [2] | 25 ppm |
| WEL STEL (OEL STEL) | 246 mg/m³ |
| WEL STEL (OEL STEL) [ppm] | 50 ppm |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**
Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**
Safety glasses. Gloves.

**Personal protective equipment symbol(s):**



#### 8.2.2.1. Eye and face protection

**Eye protection:**
Safety glasses

| Eye protection | | | |
|---|---|---|---|
| **Type** | **Field of application** | **Characteristics** | **Standard** |
| Safety glasses | Droplet | clear | EN 166 |

#### 8.2.2.2. Skin protection

**Skin and body protection:**
Wear suitable protective clothing

**Hand protection:**
Protective gloves

| Hand protection | | | | | |
|---|---|---|---|---|---|
| **Type** | **Material** | **Permeation** | **Thickness (mm)** | **Penetration** | **Standard** |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥0.35 | | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**
In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**
Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Liquid |
| Colour | : | Green. |
| Odour | : | characteristic. |
| Odour threshold | : | Not available |
| Melting point | : | Not applicable |
| Freezing point | : | Not available |
| Boiling point | : | > 100 °C |
| Flammability | : | Non flammable. |
| Explosive limits | : | Not available |
| Lower explosion limit | : | Not available |
| Upper explosion limit | : | Not available |
| Flash point | : | 63 °C |
| Auto-ignition temperature | : | > 250 °C |
| Decomposition temperature | : | Not available |
| pH | : | Not applicable |
| Viscosity, kinematic | : | < 10 mm²/s (40 °C) - ASTM D7279 |
| Viscosity, dynamic | : | < 10 mPa.s (20 °C) |
| Solubility | : | Emulsifiable in water. |
| Partition coefficient n-octanol/water (Log Kow) | : | Not available |
| Partition coefficient n-octanol/water (Log Pow) | : | < 3 |
| Vapour pressure | : | < 5 hPa (20 °C) |
| Vapour pressure at 50°C | : | Not available |
| Density | : | 0,81 g/m³ (20 °C) |
| Relative density | : | Not available |
| Relative vapour density at 20°C | : | Not available |
| Particle characteristics | : | Not applicable |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| 2-butoxyethanol (111-76-2) | |
|---|---|
| LD50 oral rat | 470 mg/kg |
| LD50 oral | 300 mg/kg rabbit |
| LD50 dermal rat | 2270 mg/kg |
| LD50 dermal rabbit | 2000 mg/kg |
| LC50 Inhalation - Rat | > 2 mg/l/4h |

| Kerosine (petroleum), hydrodesulfurized (64742-81-0) | |
|---|---|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Remarks on results: other: |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: |
| LC50 Inhalation - Rat | > 5,28 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:, 95% CL: 0,42 - |

Skin corrosion/irritation : Causes skin irritation.
pH: Not applicable

Serious eye damage/irritation : Not classified
pH: Not applicable

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : May cause drowsiness or dizziness.

| Kerosine (petroleum), hydrodesulfurized (64742-81-0) | |
|---|---|
| STOT-single exposure | May cause drowsiness or dizziness. |

STOT-repeated exposure : Not classified

| 2-butoxyethanol (111-76-2) | |
|---|---|
| LOAEL (dermal, rat/rabbit, 90 days) | > Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

| Kerosine (petroleum), hydrodesulfurized (64742-81-0) | |
|---|---|
| NOAEL (oral, rat, 90 days) | 750 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

Aspiration hazard : May be fatal if swallowed and enters airways.

| Liquid Dirt Remover | |
|---|---|
| Viscosity, kinematic | < 10 mm²/s (40 °C) - ASTM D7279 |

| Kerosine (petroleum), hydrodesulfurized (64742-81-0) | |
|---|---|
| Viscosity, kinematic | < 2,4 mm²/s @40°C |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short–term (acute) : Not classified
Hazardous to the aquatic environment, long–term (chronic) : Toxic to aquatic life with long lasting effects.

| 2-butoxyethanol (111-76-2) | |
|---|---|
| LC50 - Fish [1] | 1474 mg/l (Oncorhynchus mykiss, 96h) |
| EC50 - Crustacea [1] | 1550 mg/l (Daphnia magna, 48h) |
| EC50 72h - Algae [1] | 911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| ErC50 algae | 911 mg/l (Pseudokirchneriella subcapitata, 72h) |
| NOEC (chronic) | 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d' |

### 12.2. Persistence and degradability

| 2-butoxyethanol (111-76-2) | |
|---|---|
| Persistence and degradability | Readily biodegradable. |

### 12.3. Bioaccumulative potential

| Liquid Dirt Remover | |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | < 3 |

| 2-butoxyethanol (111-76-2) | |
|---|---|
| Bioaccumulative potential | None. |

### 12.4. Mobility in soil

| 2-butoxyethanol (111-76-2) | |
|---|---|
| Ecology - soil | Material highly soluble in water. |

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available




## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|---|---|
| **14.1. UN number or ID number** | | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| **14.2. UN proper shipping name** | | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized) | Environmentally hazardous substance, liquid, n.o.s. (Kerosine (petroleum), hydrodesulfurized) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized) |
| **Transport document description** | | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Kerosine (petroleum), hydrodesulfurized), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized), 9, III |
| **14.3. Transport hazard class(es)** | | | | |
| 9 | 9 | 9 | 9 | 9 |
|  |  |  |  |  |
| **14.4. Packing group** | | | | |
| III | III | III | III | III |
| **14.5. Environmental hazards** | | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes<br>Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available | | | | |

### 14.6. Special precautions for user

**Overland transport**

Classification code (ADR) : M6
Special provisions (ADR) : 274, 335, 375, 601
Limited quantities (ADR) : 5l
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19

| | | |
|---|---|---|
| Portable tank and bulk container instructions (ADR) | : | T4 |
| Portable tank and bulk container special provisions (ADR) | : | TP1, TP29 |
| Tank code (ADR) | : | LGBV |
| Vehicle for tank carriage | : | AT |
| Transport category (ADR) | : | 3 |
| Special provisions for carriage - Packages (ADR) | : | V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : | CV13 |
| Hazard identification number (Kemler No.) | : | 90 |
| Orange plates | : |  |
| Tunnel restriction code (ADR) | : | - |
| EAC code | : | •3Z |



**Transport by sea**

| | | |
|---|---|---|
| Special provisions (IMDG) | : | 274, 335, 969 |
| Limited quantities (IMDG) | : | 5 L |
| Excepted quantities (IMDG) | : | E1 |
| Packing instructions (IMDG) | : | LP01, P001 |
| Special packing provisions (IMDG) | : | PP1 |
| IBC packing instructions (IMDG) | : | IBC03 |
| Tank instructions (IMDG) | : | T4 |
| Tank special provisions (IMDG) | : | TP1, TP29 |
| EmS-No. (Fire) | : | F-A |
| EmS-No. (Spillage) | : | S-F |
| Stowage category (IMDG) | : | A |

**Air transport**

| | | |
|---|---|---|
| PCA Excepted quantities (IATA) | : | E1 |
| PCA Limited quantities (IATA) | : | Y964 |
| PCA limited quantity max net quantity (IATA) | : | 30kgG |
| PCA packing instructions (IATA) | : | 964 |
| PCA max net quantity (IATA) | : | 450L |
| CAO packing instructions (IATA) | : | 964 |
| CAO max net quantity (IATA) | : | 450L |
| Special provisions (IATA) | : | A97, A158, A197, A215 |
| ERG code (IATA) | : | 9L |

**Inland waterway transport**

| | | |
|---|---|---|
| Classification code (ADN) | : | M6 |
| Special provisions (ADN) | : | 274, 335, 375, 601 |
| Limited quantities (ADN) | : | 5 L |
| Excepted quantities (ADN) | : | E1 |
| Carriage permitted (ADN) | : | T |
| Equipment required (ADN) | : | PP |
| Number of blue cones/lights (ADN) | : | 0 |

**Rail transport**

| | | |
|---|---|---|
| Classification code (RID) | : | M6 |
| Special provisions (RID) | : | 274, 335, 375, 601 |
| Limited quantities (RID) | : | 5L |
| Excepted quantities (RID) | : | E1 |
| Packing instructions (RID) | : | P001, IBC03, LP01, R001 |
| Special packing provisions (RID) | : | PP1 |
| Mixed packing provisions (RID) | : | MP19 |
| Portable tank and bulk container instructions (RID) | : | T4 |
| Portable tank and bulk container special provisions (RID) | : | TP1, TP29 |

| | | |
|---|---|---|
| Tank codes for RID tanks (RID) | : | LGBV |
| Transport category (RID) | : | 3 |
| Special provisions for carriage – Packages (RID) | : | W12 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : | CW13, CW31 |
| Colis express (express parcels) (RID) | : | CE8 |
| Hazard identification number (RID) | : | 90 |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

**REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

**Ozone Regulation (1005/2009)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

**Biocide Regulation (528/2012)**

| | | |
|---|---|---|
| Child-resistant fastening | : | Applicable |
| Tactile warning | : | Applicable |

**Detergent Regulation (648/2004)**

| Labelling of contents | |
|---|---|
| **Component** | **%** |
| aromatic hydrocarbons | ≥30% |

**Seveso Directive (Disaster Risk Reduction)**

| Seveso III Part I (Categories of dangerous substances) | Qualifying quantity (tonnes) | |
|---|---|---|
| | Lower-tier | Upper-tier |
| E2 Hazardous to the Aquatic Environment in Category Chronic 2 | 200 | 500 |

**Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes | | | |
|---|---|---|---|
| **Section** | **Changed item** | **Change** | **Comments** |
| | SDS EU format | Added | |
| | Flammability (solid, gas) | Modified | |
| 5.1 | Unsuitable extinguishing media | Added | |
| 5.2 | Hazardous decomposition products in case of fire | Modified | |
| 5.2 | Fire hazard | Added | |
| 7.2 | Storage temperature | Added | |
| 8.1 | Generic OEL data | Added | |
| 10.3 | Possibility of hazardous reactions | Modified | |

| Abbreviations and acronyms: | |
|---|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |

| Abbreviations and acronyms: | |
|---|---|
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements: | |
|---|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.